3030187

https://www.phoenixcontact.com/pc/products/3030187



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 4, length: 23 mm, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial data

Item number	3030187
Packing unit	50 pc
Minimum order quantity	50 pc
Product key	BE2Z2X
Catalog page	Page 70 (C-1-2019)
GTIN	4017918193829
Weight per piece (including packing)	3.417 g
Weight per piece (excluding packing)	3.35 g
Customs tariff number	85366990
Country of origin	DE

3030187

https://www.phoenixcontact.com/pc/products/3030187



Technical data

Product properties

	Product type	Jumper	
	Number of positions	4	
	Pitch	5.2 mm	
Electrical properties			
	Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)	
Connection data			
	Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)	
Dir	mensions		

Width 19.4 mm Height 22.7 mm Depth 3 mm Length 22.7 mm Pitch 5.2 mm

Material specifications


Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

3030187

https://www.phoenixcontact.com/pc/products/3030187

Drawings



Schematic diagram



3030187

https://www.phoenixcontact.com/pc/products/3030187



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400



3030187 https://www.phoenixcontact.com/pc/products/3030187



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values