

# 3BSC610038R1



Products → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 2.1 (SB2) → Power Supplies

Products → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.0 → Power Supplies

Products → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.1 → Power Supplies

Products → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.0 → Power Supplies

Products → Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 4.0 → Power Supplies

Products → Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 5.0 → Power Supplies

Products → Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 4.1 → Power Supplies

Products → Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 5.0 → Power Supplies

Parts & Services → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.1 → Power Supplies

Parts & Services → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.0 → Power Supplies

Parts & Services → Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.1 → Power Supplies

Parts & Services → Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 4.1 → Power Supplies

Parts & Services → Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 5.0 → Power Supplies

Parts & Services → Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 5.1 → Power Supplies

## General Information

<b>Product ID:</b>	3BSC610038R1
<b>ABB Type Designation:</b>	SD822
<b>Catalog Description:</b>	SD822 Power Supply Device

Additional Information

<b>ABB Industrial IT Suite:</b>	Control IT
<b>ABB Type Designation:</b>	SD822
<b>CIDX:</b>	Undefined
<b>Core Credit:</b>	0.00
<b>Country of Origin:</b>	China (CN)
<b>Customs Tariff Number:</b>	85044082
<b>Gross Volume:</b>	1.68 dm <sup>3</sup>
<b>Gross Weight:</b>	0.5 kg
<b>Input Current Maximum (I<sub>in</sub>):</b>	15 A
<b>Input Voltage (U<sub>in</sub>):</b>	230 V
<b>Input Voltage Type:</b>	AC
<b>Invoice Description:</b>	SD822 Power Supply Device
<b>Made To Order:</b>	No
<b>Medium Description:</b>	SD822 Power Supply Device
<b>Minimum Order Quantity:</b>	1 piece
<b>Mounting Type:</b>	DIN rail
<b>Number of Outputs:</b>	1
<b>Order Multiple:</b>	1 piece
<b>Output Current Maximum (I<sub>out</sub>):</b>	5 A
<b>Output Voltage (U<sub>out</sub>):</b>	24 V
<b>Package Level 1 Gross Weight:</b>	0.5 kg
<b>Package Level 1 Units:</b>	1 piece
<b>Part Type:</b>	New
<b>Product Name:</b>	SD822 Power Supply Device
<b>Product Net Height:</b>	8 cm
<b>Product Net Length:</b>	14 cm
<b>Product Net Weight:</b>	0.5 kg
<b>Product Net Width:</b>	15 cm
<b>Product Type:</b>	AC-DC
<b>Quote Only:</b>	No
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	-
<b>Stocked At (Warehouses):</b>	Central Stock US SGRL4414FEXPU SELOGVEXPU
<b>Technical Information:</b>	SD822 Power Supply Device Input 115/230V a.c. switch selectable, output 24V d.c., 5A. If redundant power application is required connect to SS822 Voting Unit. Width=65 mm. DIN rail mounted. see Cover for power plug 5FSE707630-103 Exchange No. EXC3BSC610038R1
<b>UNSPSC:</b>	39120000

