

Latching block, mechanical, for mounting on 3RT1.2. and 3RT1.3., 230 V AC/DC, ! Phased-out product!  
Successor is SIRIUS 3RT2



Figure similar

General technical data:		
Product brand name		SIRIUS
Product designation		mechanical latch
Size of contactor		S0, S2
Protection class IP on the front		IP20
Insulation voltage with degree of pollution 3 rated value	V	300
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-25 ... +60
Auxiliary circuit:		
Number of NC contacts		
• for auxiliary contacts		0
Number of NO contacts		
• for auxiliary contacts		0
Control circuit/ Control:		
Type of voltage of the control supply voltage		AC/DC

### Installation/ mounting/ dimensions:

<b>Mounting type</b>	clip-on
<b>Mounting position</b>	any

### Connections/ Terminals:

Type of electrical connection for auxiliary and control current circuit	screw-type terminals
<b>Type of connectable conductor cross-sections</b>	
<ul style="list-style-type: none"> <li>• for auxiliary contacts <ul style="list-style-type: none"> <li>— solid</li> <li>— finely stranded</li> <li>— with core end processing</li> </ul> </li> <li>• at AWG conductors for auxiliary contacts</li> </ul>	<p>2x (0.5 ... 2.5 mm<sup>2</sup>), 1x 4 mm<sup>2</sup></p> <p>2x (0.5 ... 2.5 mm<sup>2</sup>), 1x 2.5 mm<sup>2</sup></p> <p>2x 14, 1x 12</p>

### Certificates/ approvals:

<b>Certificate of suitability</b>	CE / UL / CSA / CCC	
<b>General Product Approval</b>	<b>Functional Safety/Safety of Machinery</b>	<b>Declaration of Conformity</b>



[Type Examination Certificate](#)



[Miscellaneous](#)

<b>Test Certificates</b>	<b>Shipping Approval</b>	<b>other</b>
--------------------------	--------------------------	--------------

[Special Test Certificate](#)



[Confirmation](#)

**other**

[Miscellaneous](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**



<http://www.siemens.com/industrial-controls/catalogs>


**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RT1926-3AP31>





last modified:

02/18/2019