## SIEMENS

## Data sheet

## 5SB221



DIAZED fuse link 500 V for cable and line protection gG, Size DII, E27, 4A

| Model  |  |
|--|--|
| product brand name   | SENTRON                                |
| product designation  | DIAZED fuse                            |
| design of the product  | For cable and line protection          |
| design of the fuse link  | DIAZED fuse link                       |
| General technical data   |  |
| tripping characteristic class  | Other                                  |
| size of fuse system according to EN 60269-1  | DII                                    |
| operating class of the fuse link   | gG                                     |
| Supply voltage   |  |
| supply voltage at DC   | 500 V                                  |
| Protection class   |  |
| protection class IP  | IP20, with connected conductors        |
| Switching capacity   |  |
| switching capacity current at DC according to IEC 60947-2 rated value                  | 8 kA                                   |
| Dissipation  |  |
| power loss [W]   | 2 W                                    |
| power loss [W] for rated value of the current at AC in hot<br>operating state per pole | 2 W                                    |
| Appearance   |  |
| color coding of the fuse link  | brown                                  |
| Product details  |  |
| product description  | Using screw adapter or adapter sleeves |
| Mechanical Design  |  |
| mounting position  | Any, preferably vertical               |
| net weight   | 27 g                                   |
| Environmental conditions   |  |
| ambient temperature during operation   |  |
| • minimum  | -5 °C                                  |
| • maximum  | 40 °C                                  |
| environmental category   | Up to 45°C at 95 % rel. humidity       |
| environmental category during storage  | air humidity 90% at 20°C               |
| Approvals Certificates   |  |
| General Product Approval   | Declaration of Conformity              |
| Confirmation   |  |

Subject to change without notice © Copyright Siemens other

## Environment

firmations

Miscellaneous

Confirmation Environmental Con-

Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SB221 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/5SB221 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=5SB221 CAx-Online-Generator http://www.siemens.com/cax **Tender specifications** http://www.siemens.com/specifications

last modified:

7/8/2022 🖸