



INSTA contactor with 2 NO contacts Contact for 230 V AC, 400V 20A  
Control 24 V AC

Model			
product brand name	SETRON		
product designation	Insta contactor		
design of the product	2 NO contacts		
type of voltage / of the operating voltage	AC		
type of voltage / of the operating voltage / for actuation	AC		
Supply voltage			
operating voltage / rated value			
• minimum	250 V		
• maximum	250 V		
Protection class			
protection class IP	IP20		
Switching capacity			
switching capacity active power / with incandescent lamp load	1 000 W		
Dissipation			
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	1.7 W		
Current			
operational current / at AC / rated value	20 A		
Control current			
control supply voltage			
• rated value	24 V		
• rated value / maximum	24 V		
Product details			
product component / slide for manual operation	No		
number of NC contacts	0		
number of NO contacts	2		
product extension / installable / supplementary devices	Yes		
Mechanical Design			
height	90 mm		
width	18 mm		
depth	71 mm		
installation depth	0 mm		
number of modular width units	1		
net weight	141 g		
<b>General Product Approval</b>		<b>Declaration of Conformity</b>	<b>Test Certificates</b>



[Miscellaneous](#)

[Miscellaneous](#)



[Special Test Certificate](#)

other

[Environmental Confirmations](#)

[Confirmation](#)

[Miscellaneous](#)

#### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5800-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TT5800-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TT5800-2](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5800-2)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



