SIEMENS

Data sheet

Product type designation

6GK7242-5DX30-0XE0

CM 1242-5

Communication module CM 1242-5; for connection of SIMATIC S7-1200 to PROFIBUS as DP Slave module



Transmission rate		
Transfer rate		
 at the 1st interface / acc. to PROFIBUS 	9.6 kbit/s 12 Mbit/s	
Interfaces		
Number of interfaces / acc. to Industrial Ethernet	0	
Number of electrical connections		
 at the 1st interface / acc. to PROFIBUS 	1	
• for power supply	0	
Type of electrical connection		
• at the 1st interface / acc. to PROFIBUS	9-pin Sub-D socket (RS485)	
Supply voltage, current consumption, power loss		
Type of voltage / of the supply voltage	DC	
Supply voltage / 1 / from backplane bus	5 V	
oupply voltage / 1 / nonin baokplane bao	5 V	
Consumed current	5 V	
	0.15 A	
Consumed current		

Ambient temperature	
 for vertical installation / during operation 	0 45 °C
 for horizontally arranged busbars / during operation 	0 55 °C
• during storage	-40 +70 °C
• during transport	-40 +70 °C
Relative humidity	
 at 25 °C / without condensation / during operation / maximum 	95 %
Protection class IP	IP20
Design, dimensions and weight	
Module format	Compact module S7-1200 single width
Width	30 mm
Height	100 mm
Depth	75 mm
Net weight	0.115 kg
Mounting type	
 35 mm DIN rail mounting 	Yes
 S7-300 rail mounting 	No
wall mounting	Yes
Product properties, functions, components / genera Number of units	
per CPU / maximum	3
	Ŭ
Performance data / PROFIBUS DP	
Service / as DP slave	
• DPV0	Yes
• DPV1	Yes
Amount of data	
 of the address area of the inputs / as DP slave / total 	240 byte
 of the address area of the outputs / as DP slave / total 	240 byte
Performance data / telecontrol	
Protocol / is supported	
• TCP/IP	No
Product functions / management, configuration	
Configuration software	
• required	STEP 7 Basic/Professional
Further Information / Internet Links	
Internet-Link	

• to website: Selector SIMATIC NET SELECTION TOOL

- to website: Industrial communication
- to website: Industry Mall
- to website: Information and Download Center
- to website: Image database
- to website: CAx Download Manager
- to website: Industry Online Support

Security information

Security information

http://www.siemens.com/snst

http://www.siemens.com/simatic-net

- https://mall.industry.siemens.com
- http://www.siemens.com/industry/infocenter

http://automation.siemens.com/bilddb

http://www.siemens.com/cax

https://support.industry.siemens.com

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified:

07/10/2019