## **SIEMENS**

24.11.2023 1:03:25 PM

## 7ML5440-0HA00-0AA2



SITRANS LR560 Radar level transmitter with flush lens antenna: continuous, non-contact, 100 m (328 ft) range, for general solids applications. Measurement and process temperature range: 40m (131 ft) max range, -40 C degrees to +100 C degrees Process connection: Universal flat-faced flange fits ANSI/DINJ/IIS flanges: 4" / 100 mm, painted aluminum, with integral aimer Enclosure (with cable inlet): Stainless Steel, 1 X 1/2" NPT . Label: Sitrans LR560 Pressure Rating: 0.5 bar g (7.5 psi g) maximum Output/communication: 4 to 20 mA, HART Approvals: Ordinary Locations/General Purpose (Non-Ex), FM, cCSAus, IC, FCC, CE, UKCA, RED, RCM Local display interface: With LDI (local display interface)

List Price	Show prices
Customer Price	Show prices
Service & Support (Manuals, Certificates, FAQs)	Download

<b>Product</b>	
----------------	--

Article Number (Market Facing Number)	7ML5440-0HA00-0AA2			
Product Description	SITRANS LR560 Radar level transmitter with flush lens antenna: continuous, non-contact, 100 m (328 ft) range, for general solids applications. Measurement and process temperature range: 40m (131 ft) max range, -40 C degrees to +100 C degrees Process connection: Universal flat-faced flange fits ANSI/DIN/JIS flanges: 4" / 100 mm, painted aluminum, with integral aimer Enclosure (with cable inlet): Stainless Steel, 1 x 1/2" NPT. Label: Sitrans LR560 Pressure Rating: 0.5 bar g (7.5 psi g) maximum Output/communication: 4 to 20 mA, HART Approvals: Ordinary Locations/General Purpose (Non-Ex), FM, cCSAus, IC, FCC, CE, UKCA, RED, RCM Local display interface: With LDI (local display interface)			
Product family	SITRANS LR560			
Product Lifecycle (PLM)	PM300:Active Product			
Price data				
Region Specific PriceGroup / Headquarter Price Group	8L2 / 8L2			
List Price	Show prices			
Customer Price	Show prices			
Surcharge for Raw Materials				
Metal Factor	None None			
Delivery information				
Export Control Regulations	ECCN - EARON / A	AL - NI		
Export Control Regulations Estimated dispatch time	ECCN : EAR99I / AL : N			
Net Weight (kg)	14 Day/Days			
Packaging Dimension	6,000 Kg 310,00 x 330,00 x 250,00			
Package size unit of measure	MM			
Quantity Unit	1 Piece			
Packaging Quantity	1			
Additional Product Information	-			
EAN	4019169847964			
UPC	Not available			
Commodity Code	90261029			
LKZ_FDB/ CatalogID	FI01-4			
Product Group	4716			
Group Code	R3P0			
Country of origin	Canada			
Compliance with the substance restrictions according to RoHS directive	Since: 10.01.2003			
Product class	C: products manufactured / produced to order, which cannot be reused or re-utilised or be returned against credit.			
WEEE (2012/19/EU) Take-Back Obligation	Yes			
REACH Art. 33 Duty to inform according to the current list of candidates				
SCIP number	Not available			
Classifications				
		Version	Classification	
	eClass	12	27-20-05-05	
		6	27-20-05-05	
	eClass	0		
	eClass eClass	7.1	27-20-05-05	
	eClass eClass	7.1 8	27-20-05-05	
	eClass eClass eClass	7.1 8 9	27-20-05-05 27-20-05-05	
	eClass eClass eClass eClass	7.1 8 9 9.1	27-20-05-05 27-20-05-05 27-20-05-05	
	eClass eClass eClass	7.1 8 9	27-20-05-05 27-20-05-05	