

**SIEMENS**

03/24/2023 9:18:57 AM

**CFD63B200 | US2:CFD63B200**

SIEMENS LOW VOLTAGE SENTRON MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. STANDARD 40 DEG C BREAKER FD FRAME WITH CURRENT LIMITING BREAKING CAPACITY. MEETS UL 489 / IEC 60947-2 STANDARDS. 200A 3-POLE BREAKER (100KAIC AT 600V) (200KAIC AT 480V). SPECIAL FEATURES: LINE AND LOAD SIDE LUGS (TA1FD350A) WIRE RANGE: 6AWG - 350KCM (CU) / 4AWG - 350KCM (AL). DIMENSIONS (W x H x D) IN: 4.5 x 14.25 x 4.

List Price	Show prices
<b>Customer Price</b>	Show prices
DataSheet in PDF	Download
Service & Support (Manuals, Certificates, FAQs...)	Download

Image similar

**Product**

Article Number (Market Facing Number)

[CFD63B200 | US2:CFD63B200](#)

Product Description

SIEMENS LOW VOLTAGE SENTRON MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. STANDARD 40 DEG C BREAKER FD FRAME WITH CURRENT LIMITING BREAKING CAPACITY. MEETS UL 489 / IEC 60947-2 STANDARDS. 200A 3-POLE BREAKER (100KAIC AT 600V) (200KAIC AT 480V). SPECIAL FEATURES: LINE AND LOAD SIDE LUGS (TA1FD350A) WIRE RANGE: 6AWG - 350KCM (CU) / 4AWG - 350KCM (AL). DIMENSIONS (W x H x D) IN: 4.5 x 14.25 x 4.

Product family

[Ordering Data Overview](#)

Product Lifecycle (PLM)

PM300:Active Product

**Price data**

Price Group

NJ4

List Price

[Show prices](#)

Customer Price

[Show prices](#)

Metal Factor

None

**Delivery information**

Export Control Regulations

AL : N / ECCN : EAR99

Standard lead time ex-works

30 Day/Days

Net Weight (lb)

13.600 lb

Package size unit of measure

Not available

Quantity Unit

1 Piece

Packaging Quantity	1
--------------------	---

### Additional Product Information

EAN	Not available
UPC	783643212190
Commodity Code	8536200020
LKZ_FDB/ CatalogID	LV10.1
Product Group	3741
Group Code	P360
Country of origin	Mexico
Compliance with the substance restrictions according to RoHS directive	Since: 04/03/2009
Returnable	No
WEEE (2012/19/EU) Take-Back Obligation	Yes
REACH Art. 33 Duty to inform according to the current list of candidates	

### Classifications

	Version	Classification
eClass	12	27-37-04-09
eClass	6	27-37-04-09
eClass	7.1	27-37-04-09
eClass	8	27-37-04-09
eClass	9	27-37-04-09
eClass	9.1	27-37-04-09
ETIM	7	EC000228
ETIM	8	EC000228
IDEA	4	4850
UNSPSC	15	39-12-16-01

;