


Product datasheet

Specifications



MODULAR FRONT PLATE W600/ W650 4M

LVS03204

Price* : 498.89 ZAR

Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle PrismaSeT PrismaSeT Pack 160 enclosure PrismaSeT PrismaSeT Pack 250 enclosure
Type of front plate	Cut-out Modular
Installed device	Acti 9: fixed modular device Multi9: fixed modular device Vigilohm: IM20 Vigilohm: IM20H ComPact: fixed INS100 - control: direct front rotary handle - vertical installation ComPact: fixed INS125 - control: direct front rotary handle - vertical installation ComPact: fixed INS160 - control: direct front rotary handle - vertical installation ComPact: fixed INS40 - control: direct front rotary handle - vertical installation ComPact: fixed INS63 - control: direct front rotary handle - vertical installation Vigilohm: IM10 Vigilohm: IM10H
Poles description	1 x 3P: modular rail support: INS100 vertical installation 1 x 4P: modular rail support: INS100 vertical installation 1 x 3P: modular rail support: INS125 vertical installation 1 x 4P: modular rail support: INS125 vertical installation 1 x 3P: modular rail support: INS160 vertical installation 1 x 4P: modular rail support: INS160 vertical installation 1 x 3P: modular rail support: INS40 vertical installation 1 x 4P: modular rail support: INS40 vertical installation 1 x 3P: modular rail support: INS63 vertical installation 1 x 4P: modular rail support: INS63 vertical installation
Complementary	
Enclosure/Cubicle description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm Pack enclosure - width 600 mm
Connection position	Direct connection
9 mm pitches	48
Number of 18 mm modules per row	24

* Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Number of vertical modules [50 mm]	4
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Surface finish	Matt Textured
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	200 mm
Width	500 mm
Net weight	0.72 kg
Quantity per set	Set of 1
Functional unit	<p>650 mm 400 mm PrismaSeT P cubicle Vigilohm 4 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure Acti 9 modular device fixed 48 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure Acti 9 modular device fixed 48 direct 4</p> <p>650 mm 400 mm PrismaSeT P cubicle Acti 9 modular device fixed 48 direct 4</p> <p>600 mm PrismaSeT G floor-standing enclosure Multi9 modular device fixed 48 direct 4</p> <p>600 mm PrismaSeT G wall-mounted enclosure Multi9 modular device fixed 48 direct 4</p>

650 mm 400 mm PrismaSeT P cubicle Multi9 modular device fixed 48 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4
 555 mm Pack 160 Pack enclosure ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4
 600 mm Prisma Pack 250 Pack enclosure Multi9 modular device fixed 48 direct 6


Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3 cm
Package 1 Width	21.2 cm
Package 1 Length	51 cm
Package 1 Weight	700 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16.5 cm
Package 2 Width	22 cm
Package 2 Length	52.5 cm
Package 2 Weight	7.32 kg
Unit Type of Package 3	P12
Number of Units in Package 3	360
Package 3 Height	100 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	281.5 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.

Recommended replacement(s)