


Product datasheet

Specifications



FR.PL.3-4 NSX/CVS250 V.FIXED TOG/ROT 5M



LVS03243

Main

Range	PrismaSeT
Range Of Product	PrismaSeT G PrismaSeT P
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Type Of Front Plate	Cut-out
Installed Device	<p>ComPact: fixed NSX100...160 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: fixed NSX250 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS100...160 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>EasyPact: fixed CVS250 without earth leakage protection - control: toggle - vertical installation</p> <p>EasyPact: fixed CVS250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: plug-in NSX100...160 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: plug-in NSX100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: plug-in NSX100...160 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: drawout NSX100...160 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: drawout NSX100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: drawout NSX100...160 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX100...160 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: plug-in NSX250 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: plug-in NSX250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: plug-in NSX250 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: drawout NSX250 without earth leakage protection - control: toggle - vertical installation</p> <p>ComPact: drawout NSX250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: drawout NSX250 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX250 without earth leakage protection - control: motor mechanism - vertical installation</p>

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Poles Description	4 x 3P: mounting plate support: CVS100...160 vertical installation 3 x 4P: mounting plate support: CVS100...160 vertical installation 4 x 3P: mounting plate support: CVS250 vertical installation 3 x 4P: mounting plate support: CVS250 vertical installation 4 x 3P: mounting plate support: NSX100...160 vertical installation 3 x 4P: mounting plate support: NSX100...160 vertical installation 4 x 3P: mounting plate support: NSX250 vertical installation 3 x 4P: mounting plate support: NSX250 vertical installation 2 x 3P: mounting plate support: NSX100...160 vertical installation 2 x 4P: mounting plate support: NSX100...160 vertical installation 2 x 3P: mounting plate support: NSX250 vertical installation 2 x 4P: mounting plate support: NSX250 vertical installation
--------------------------	--

Operating Position	Vertical
---------------------------	----------

Complementary

Enclosure/Cubicle Description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm
--------------------------------------	---

Connection Position	Linergy FC Direct connection
----------------------------	---------------------------------

Number Of Vertical Modules [50 Mm]	5
---	---

Standards	IEC 61439-2 IEC 61439-1
------------------	----------------------------

Product Certifications	ASTA
-------------------------------	------

Material	Steel
-----------------	-------

Surface Finish	Matt Textured
-----------------------	------------------

Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
-----------------------------	--

Colour	White (RAL 9003)
---------------	------------------

Height	250 mm
---------------	--------

Width	500 mm
--------------	--------

Net Weight	0.82 kg
-------------------	---------

Quantity Per Set	Set of 1
-------------------------	----------

Functional Unit

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed toggle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed toggle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed direct front rotary handle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed direct front rotary handle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed toggle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed toggle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed direct front rotary handle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed direct front rotary handle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed toggle vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed toggle vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed toggle vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed toggle vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in direct front rotary handle vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in motor mechanism vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in direct front rotary handle vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in motor mechanism vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in toggle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in toggle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in direct front rotary handle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in direct front rotary handle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in motor mechanism vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in motor mechanism vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout toggle vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout toggle vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout direct front rotary handle vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout direct front rotary handle vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout motor mechanism vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without drawout motor mechanism vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in toggle vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without plug-in toggle vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed toggle vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed toggle vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed toggle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed toggle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in direct front rotary handle vertical 3P 4 Linergy FC 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in motor mechanism vertical 3P 4 Linergy FC 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in direct front rotary handle vertical 4P 3 Linergy FC 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in motor mechanism vertical 4P 3 Linergy FC 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in toggle vertical 3P 4 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in toggle vertical 4P 3 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in direct front rotary handle vertical 3P 4 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in direct front rotary handle vertical 4P 3 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in motor mechanism vertical 3P 4 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in motor mechanism vertical 4P 3 direct 10

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout toggle vertical 3P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout toggle vertical 4P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout direct front rotary handle vertical 3P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout direct front rotary handle vertical 4P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout motor mechanism vertical 3P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without drawout motor mechanism vertical 4P 2 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in toggle vertical 3P 4 Linergy FC 8

650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without plug-in toggle vertical 4P 3 Linergy FC 8

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS100...160 without fixed toggle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS100...160 without fixed toggle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS100...160 without fixed toggle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS100...160 without fixed toggle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS100...160 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS100...160 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS100...160 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS100...160 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS250 without fixed toggle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS250 without fixed toggle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS250 without fixed toggle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS250 without fixed toggle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS250 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS250 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure EasyPact CVS250 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure EasyPact CVS250 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure ComPact NSX100...160 without fixed toggle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX100...160 without fixed toggle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure ComPact NSX100...160 without fixed toggle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX100...160 without fixed toggle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 9

600 mm PrismaSeT G floor-standing enclosure ComPact NSX250 without fixed toggle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX250 without fixed toggle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure ComPact NSX250 without fixed toggle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX250 without fixed toggle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 direct with long terminal shield 11

600 mm PrismaSeT G floor-standing enclosure ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 11

600 mm PrismaSeT G wall-mounted enclosure ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 direct with long terminal shield 11

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	26.0 cm
Package 1 Length	51.0 cm
Package 1 Weight	834.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	16.5 cm
Package 2 Width	27.4 cm
Package 2 Length	52.7 cm
Package 2 Weight	8.537 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	270
Package 3 Height	94.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	242.0 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)
