

Product datasheet

Specifications



PLAIN FRONT PLATE W600/ W650 2M



LVS03802

Main

| | |
|------------------------------------|--|
| Range | PrismaSeT |
| Range Of Product | PrismaSeT G PrismaSeT P |
| Product Or Component Type | Front plate |
| Accessory / Separate Part Category | Installation accessory |
| Range Compatibility | PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle PrismaSeT PrismaSeT Pack 250 enclosure |
| Type Of Front Plate | Plain |

Complementary

| | |
|------------------------------------|---|
| Enclosure/Cubicle Description | Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm Pack enclosure - width 600 mm |
| Number Of Vertical Modules [50 Mm] | 2 |
| Standards | IEC 61439-2 IEC 61439-1 |
| Product Certifications | ASTA |
| Material | Steel |
| Surface Finish | Textured Matt |
| Protective Treatment | Electrophoresis treatment and hot-polymerised polyester epoxy powder |
| Colour | White (RAL 9003) |
| Height | 100 mm |
| Width | 500 mm |
| Net Weight | 0.48 kg |
| Quantity Per Set | Set of 1 |
| Functional Unit | 600 mm PrismaSeT G floor-standing enclosure 600 mm PrismaSeT G wall-mounted enclosure 650 mm 400 mm PrismaSeT P cubicle 600 mm Prisma Pack 250 Pack enclosure |

Packing Units

| | |
|------------------------------|-----|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |

| | |
|-------------------------------------|----------|
| Package 1 Height | 2 cm |
| Package 1 Width | 11.3 cm |
| Package 1 Length | 51 cm |
| Package 1 Weight | 489 g |
| Unit Type Of Package 2 | BB1 |
| Number Of Units In Package 2 | 10 |
| Package 2 Height | 17.2 cm |
| Package 2 Width | 12.7 cm |
| Package 2 Length | 53.2 cm |
| Package 2 Weight | 5.049 kg |
| Unit Type Of Package 3 | P12 |
| Number Of Units In Package 3 | 600 |
| Package 3 Height | 98 cm |
| Package 3 Width | 80 cm |
| Package 3 Length | 120 cm |
| Package 3 Weight | 316 kg |

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)
