


# Product datasheet

Specifications



## Front connection cover, PrismaSeT P, for NS1600 vertical fixed

LVS04851

### Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Front connection cover
Accessory / separate part category	Interface accessory
Range compatibility	PrismaSeT PrismaSeT P framework
Cubicle partitioning form	Form 1

### Complementary

Installation description	Cubicle - width 650 mm, depth 400 mm
Installed device	Vertical fixed NS630b...1600
Quantity per set	Set of 1
Width	573 mm
Net weight	9.06 kg
Surface finish	Matt Textured
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)

### Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	62.000 cm
Package 1 Length	67.500 cm
Package 1 Weight	9.500 kg
Unit Type of Package 2	P12
Number of Units in Package 2	20
Package 2 Height	86.000 cm
Package 2 Width	80.000 cm

<b>Package 2 Length</b>	120.000 cm
<b>Package 2 Weight</b>	191.000 kg

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
<b>Mercury free</b>	Yes
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
<b>RoHS exemption information</b>	Yes
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>PVC free</b>	Yes

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.

Recommended replacement(s)