



IP30 TRANSPARENT DOOR W650

LVS08536

EAN Code: 3606481878809

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Door
Range Compatibility	PrismaSeT PrismaSeT P cubicle
Provided Equipment	door handle keylock (key 405) other keylock and insert to be ordered separately 2 hinge
Enclosure Mounting	Floor-standing
Type Of Door	Transparent
In Degree Of Protection	IP30

Complementary

Installation Description	Cubicle - width 650 mm
Door Opening Side	Reversible
Number Of Locks	2
Door Opening Angle	120 °
Number Of Vertical Modules [50 Mm]	36
Enclosure Material	Glass Treated sheet steel
Quantity Per Set	Set of 1
Height	2000 mm
Width	650 mm
Net Weight	18 kg
Surface Finish	Textured Matt
Colour	White (RAL 9003)

Environment

Ik Degree Of Protection	IK08 conforming to EN/IEC 62262
Standards	IEC 61439-1 IEC 61439-2
Protective Treatment	Electrophorosis treatment and het polymericad polyceter energy pourder

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.8 cm
Package 1 Width	70.0 cm
Package 1 Length	200.0 cm
Package 1 Weight	19.6 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	10
Package 2 Height	85.0 cm
Package 2 Width	120.0 cm
Package 2 Length	202.0 cm
Package 2 Weight	216.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.





Transparency RoHS/REACh

Well-being performance





Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile