


Product datasheet

Specifications



Rear panel, PrismaSeT P, for enclosure W 800mm, IP31



LVS08738

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Rear panel
Range Compatibility	PrismaSeT PrismaSeT P enclosure
Device Application	Low voltage electrical distribution
Enclosure Type	Metal enclosure
Installation Description	Cubicle - width 800 mm Cubicle - width 650 + 150 mm
Kit Composition	side panel
Standards	IEC 61439-1 for enclosure IEC 61439-2 for enclosure
Product Certifications	ASTA

Complementary

Material	Treated sheet steel
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface Finish	Matt Textured
Colour	White (RAL 9003)
Special Colour Options	Yes
Width	800 mm
Height	2000 mm
Net Weight	14.5 kg
Quantity Per Set	Set of 1

Environment

Ip Degree Of Protection	IP30 for enclosure
Ik Degree Of Protection	IK08

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.000 cm

Package 1 Width	82.500 cm
Package 1 Length	105.500 cm
Package 1 Weight	15.227 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	15
Package 2 Height	72.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	237.000 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)
