



LVS08750

EAN Code: 3606481877840

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Side panel
Range Compatibility	PrismaSeT PrismaSeT P enclosure
Device Application	Low voltage electrical distribution
Enclosure Type	Metal enclosure Indoor enclosure
Installation Description	Cubicle - width 400 mm, depth 400 mm Cubicle - width 650 mm, depth 400 mm Cubicle - width 800 mm, depth 400 mm
Kit Composition	2 side panel quarter-turn fasteners
Standards	IEC 61439-1 for enclosure IEC 61439-2 for enclosure
Product Certifications	ASTA

Complementary

Material	Treated sheet steel
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface Finish	Matt Textured
Colour	White (RAL 9003)
Width	400 mm
Height	2000 mm
Net Weight	18.5 kg
Quantity Per Set	Set of 2

Environment

Ip Degree Of Protection	IP30 for enclosure IP31 for enclosure	
Ik Degree Of Protection	IK08	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	8.0 cm
Package 1 Width	48.0 cm
Package 1 Length	207.0 cm
Package 1 Weight	19.68 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	20
Package 2 Height	97.0 cm
Package 2 Width	120.0 cm
Package 2 Length	202.0 cm
Package 2 Weight	414.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc
	Toxic Heavy Metal Free
	Mercury Free
	Rohs Exemption Information Yes
②	Pvc Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile