Product datasheet

Specifications



4 CABLE TIE SUPPORTS D400

LVS08794

Price: 729.95 ZAR

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Cable-tie support
Accessory / Separate Part Category	Cabling accessory
Range Compatibility	PrismaSeT PrismaSeT P cubicle
Product Compatibility	Framework

Complementary

· · · · · - · · · · · · · · · · ·		
Mounting Location	Side	
Mounting Support	Functional uprights	
Installation Description	Cubicle	
Quantity Per Set	Set of 4	
Length	400 mm	
Height	30 mm	
Width	400 mm	
Depth	10 mm	
Net Weight	0.675 kg	
Material	Metal	
Colour	Natural	

Packing Units

_	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	6.5 cm
Package 1 Length	36.5 cm
Package 1 Weight	679.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	20
Package 2 Height	20.0 cm
Package 2 Width	28.0 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 2 Length	38.0 cm
Package 2 Weight	13.833 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	480
Package 3 Height	74.5 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	341.0 kg

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



Fo

Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc
0	Toxic Heavy Metal Free
0	Mercury Free
	Rohs Exemption Information Yes
	Pvc Free
	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations