

Eaton NIT20

Catalog Number: NIT20

Fuse-link, LV, 20 A, AC 550 V, DC 250 V, BS88/A1, 14 x 56 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage British standard fuse	NIT20 UPC 051712392471
EAN	Product Length/Depth
5027590503945	56 mm
Product Height	Product Width
15 mm	15 mm
Product Weight	Compliances
15.9 g	CE Marked RoHS Compliant
Certifications	
IEC 60269-2 BS88	



Electrical rating

Amperage Rating

20 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

550 V

Voltage type

AC/DC

Physical details

Color

None

Fuse type

NIT

General information

Class

Class gG/gL

Connection

44 mm fixing centre

Construction size

A1

Fitted with:

Offset bolted tags

Fuse indicator

None

Fuse shape

Offset slotted bolted tags

Fuse size

BS88/A1

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

[CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

Specifications and datasheets

[Eaton Specification Sheet - NIT20](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)