

# Eaton TF200

Catalog Number: TF200

Fuse-link, LV, 200 A, AC 660 V, DC 350 V, BS88/B2, 34 x 137 mm, gL/gG, BS

## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage British standard fuse	TF200 UPC 051712485197
EAN	Product Length/Depth
5027590513746	137 mm
Product Height	Product Width
34 mm	34 mm
Product Weight	Warranty
210.3 g	No warranty
Compliances	Certifications
Not Applicable	BS

## Electrical rating

### Amperage Rating

200 A

### Breaking capacity

80 kA

### Interrupt rating

80 kAIC

### Rated switching capacity

80 kA

### Voltage rating

660 V

### Voltage type

AC/DC

## Physical details

### Color

None

### Fuse type

TF

## General information

### Class

Class gG/gL

### Connection

111 mm fixing centre

### Construction size

B2

### Fitted with:

Centre bolted tags

### Fuse indicator

None

### Fuse shape

Center bolted tags

### Fuse size

BS88/B2

### Insulated metal gripping lugs (IMGL)

No

### Quantity

10

### Utilization category

gL/gG (cable protection/equipment protection)

## Resources

### Compliance information

[CE Redspot fuse-links](#)

[UKCA Redspot fuse-links](#)

### Specifications and datasheets

[Eaton Specification Sheet - TF200](#)

### Technical data sheets

10078 Red spot centre bolted fuses:TB, TBC, TC, TF, TKF, TKM, TMF,  
TM, TMT, TTM, TLM, TT, TLU, TXU fuses

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)