

# Eaton TIS63M80

Catalog Number: TIS63M80

Fuse-link, LV, 63 A, AC 660 V, DC 460 V, BS88/A3, 22 x 86 mm, gM, BS, 63M80

## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage British standard fuse	TIS63M80
	UPC 051712484978
EAN	Product Length/Depth
5027590514361	58 mm
Product Height	Product Width
26 mm	26 mm
Product Weight	Warranty
84.95 g	No warranty
Compliances	Certifications
Not Applicable	IEC Rated

## Electrical rating

### Amperage Rating

80 A

### Breaking capacity

80 kA

### Interrupt rating

80 kAIC

### Rated switching capacity

80 kA

### Voltage rating

690 V

### Voltage type

AC/DC

## Physical details

### Color

None

### Fuse type

TIS

## General information

### Class

Class gM

### Connection

73 mm fixing centre

### Construction size

A3

### Fitted with:

Offset bolted tags

### Fuse indicator

None

### Fuse shape

Offset bolted tags

### Fuse size

BS88/A3

### Insulated metal gripping lugs (IMGL)

No

### Quantity

20

### Used with

RS63H or MC63F fuse holder

### Utilization category

gM (motor protection)

## Resources

### Compliance information

[CE Redspot fuse-links](#)

[UKCA Redspot fuse-links](#)

### Specifications and datasheets



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)