

# Jumper cable XZ, male straight M12 5 pin, female straight M12 5 pin, PVC 5 m

XZCRA151164D5

***

Accessory / separate part category	Cabling accessory
Accessory / separate part type	Jumper cable

#### Complementary

Jumper cable end 1	M12 male 5 pins straight connector with screw-on and clip-on		
Jumper cable end 2	M12 female 5 pins straight connector with screw-on and clip-on		
Collar material	Metal		
Cable composition	5 x 0.34 mm²		
Cable length	5 m		
Cable outer diameter	5.7 mm		
[Ue] rated operational voltage	250 V AC 300 V DC		
[In] rated current	4 A		
Insulation resistance	>= 1000 MOhm		
Maximum resistance across terminals	5000 mOhm		
Net weight	0.26 kg		

#### **Environment**

IP degree of protection	IP69K
Ambient air temperature for operation	-2585 °C static

#### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	178 g
Package 1 Height	3 cm
Package 1 width	18 cm
Package 1 Length	18 cm
Unit Type of Package 2	S02

Number of Units in Package 2	20
Package 2 Weight	3.885 kg
Package 2 Height	15 cm
Package 2 width	30 cm
Package 2 Length	40 cm

# Offer Sustainability

REACh Declaration		
Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration		
Yes		
Yes		
Yes		
WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), w is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		

### **Contractual warranty**


Warranty	18 months	
----------	-----------	--

# **Product data sheet**

# XZCRA151164D5

**Dimensions Drawings** 

#### **Dimensions**



L: Lenght of cable

Life Is On Schneider

### Product data sheet

# XZCRA151164D5

Connections and Schema

#### **Connections and Schemes**

