Product data sheet

Specifications



Limit switch head, Limit switches XC Standard, ZCKE, without lever left and right actuation, +120 °C

ZCKE055

| Main | |
|---------------------------|---|
| Range of product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or component type | Limit switch head |
| Device short name | ZCKE |
| Head type | Rotary head |
| Product compatibility | ХСКЈ |
| Associated lever | ZCKY52 ZCKY43 ZCKY43 ZCKY59 ZCKY81 ZCKY41 ZCKY14 ZCKY91 ZCKY53 ZCKY13 ZCKY51 |
| Associated body | ZCKJ7H29 ZCKJ6H29 ZCKJ404H7 ZCKJ39H7 ZCKJ11H7 ZCKJ41 ZCKJ41 ZCKJ7H7 ZCKJ7H7 ZCKJ2H7 ZCKJ39H29 ZCKJ2H7 ZCKJ39H29 ZCKJ2H7 ZCKJ035H7 ZCKJ033H7 ZCKJ031H7 ZCKJ031H7 ZCKJ031H7 ZCKJ031H7 ZCKJ11 ZCKJ031H7 ZCKJ031H7 ZCKJ031H7 ZCKJ031H7 ZCKJ117 ZCKJ117 ZCKJ21 ZCKJ21 ZCKJ21 ZCKJ38 ZCKJ21H7 ZCKJ35H29 ZCKJ39H7 ZCKJ39H7 ZCKJ39 ZCKJ417 ZCKJ39 ZCKJ1129 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 ZCKJ37 |



| | ZCKJ4104H29 ZCKJD37H7 ZCKJD31 ZCKJ2H29 ZCKJ5 ZCKJ4 ZCKJ4 ZCKJ41H29 ZCKJ41H29 ZCKJ41H29 ZCKJ11H29 ZCKJ41H29 |
|----------------------------|---|
| | ZCKJD39H29 ZCKJ404 |
| Movement of operating head | Rotary |
| Type of operator | Without operating lever spring return |
| Type of approach | Lateral approach, 1 or 2 programmable direction |
| | |

Complementary

| Switch actuation | From left and/or right CW and/or CCW |
|------------------|---|
| Positive opening | With |
| Net weight | 0.165 kg |
| Head material | Metal |

| Environment | |
|---------------------------------------|------------------|
| Ambient air temperature for operation | 10120 °C |
| Ambient air temperature for storage | 10120 °C |
| Environmental characteristic | High temperature |

Packing Units

| 3 | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 168 g |
| Package 1 Height | 4 cm |
| Package 1 width | 8.7 cm |
| Package 1 Length | 4.8 cm |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 1 |
| Package 2 Weight | 225 g |
| Package 2 Height | 15 cm |
| Package 2 width | 15 cm |
| Package 2 Length | 40 cm |
| Unit Type of Package 3 | S02 |
| Number of Units in Package 3 | 48 |
| Package 3 Weight | 8.519 kg |
| Package 3 Height | 15 cm |
| Package 3 width | 30 cm |
| Package 3 Length | 40 cm |
| | |

Offer Sustainability

| Sustainable offer status | Green Premium product |
|----------------------------|--|
| REACh Regulation | REACh Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Contractual warranty

Warranty

18 months