Product datasheet

Specifications





Rear panel, PrismaSeT P, for enclosure W 650mm, IP31

LVS08736

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Rear panel
Range Compatibility	PrismaSeT PrismaSeT P enclosure
Device Application	Low voltage electrical distribution
Enclosure Type	Metal enclosure
Installation Description	Cubicle - width 650 mm
Kit Composition	side panel
Standards	IEC 61439-1 for enclosure
	IEC 61439-2 for enclosure
Product Certifications	ASTA

Complementary

Material	Treated sheet steel
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface Finish	Matt Textured
Colour	White (RAL 9003)
Special Colour Options	Yes
Width	650 mm
Height	2000 mm
Net Weight	12.02 kg
Quantity Per Set	Set of 1

Environment

Ip Degree Of Protection	IP30 for enclosure
Ik Degree Of Protection	IK08

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	68.5 cm

Package 1 Length	105.5 cm
Package 1 Weight	12.47 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	15
Package 2 Height	74.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	198.5 kg

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



<u>(گ</u>)

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile